

Non-CO₂ MRV Consultation Meeting

Support for establishing a monitoring, reporting and verification system

01st December 2023





AERLABS





Opening address

Polona Gregorin, Head of Unit DG Climate Action





Morning session

- **1. Background on the non-CO2 MRV** Dimitar Nikov, DG CLIMA
- **2. Description of consortium and project scope** *Vincent de Haes, To70*
- **3. Elements of the MRV framework Project** *DLR, AerLabs, To70*





 $\Delta ERLABS$






Background on the non-CO2 MRV

Setting the scene Dimitar Nikov (DG CLIMA) A E R LABS

to 0.

Scientific evidence on non-CO2 effects






Fig. 2. Klöwer et al (2021), Quantifying aviation's contribution to global warming

- IPCC (since 1999),
- Non-CO2 is not fixed share in time

Revision of the EU ETS – non-CO2 MRV

- Art3 (v) : Definition of non-CO2 effects
- Art14.5 : MRV framework and further mandate
 - **By 31 August 2024** Implementing act including non-CO₂ effects in MRV framework (to contain, at a minimum, the 3D aircraft trajectory data available, ambient humidity, and temperature) enabling CO₂e per flight to be produced. The Commission shall ensure, subject to available resources, that tools are available to facilitate and, to the extent possible, automatise MRV in order to minimise any administrative burden.
 - From 1 January 2025 MS shall ensure that each aircraft operator monitors and reports the non-CO₂ effects from each aircraft.
 - From 2026 EC will publish the results from the MRV framework once a year.
 - By 31 December 2027 based on the results of the MRV of non-CO2 aviation effects, the EC will submit a report and, if appropriate, a legislative proposal after having carried out an impact assessment to mitigate such effects by expanding the scope of the EU ETS to include non-CO₂ aviation effects.

Objectives under the tender

- Objective 1 the contractor to provide advice on what data is necessary, on collecting, storing, and securing the monitored data, including on appropriate interfaces for collecting large amounts of data as well as, provide an IT solution. In case of data gaps, the MRV framework should enable the use of conservative default values.
- Objective 2 the contractor to provide an overview of models for MRV non-CO₂ effects to allow the calculation of non-CO₂ equivalents per flight, and advice on how the MRV data can be included in these models.

Tender's tasks

- Identify the minimum and additional data to be contained in the MRV
- Determine data gaps and default values
- Ensure data collection, storage and protection (create IT tool)
- Identify CO₂ equivalent approaches and climate-response models
- Ensure the calculation of non-CO₂ for different fuels
- Support the EC in further work and stakeholder engagement

Deliverables

- Inception report main areas of the work; approaches on the tasks; preliminary description of MRV elements.
- Preliminary report shall contain the initial version of the scope and functioning of the MRV; minimum and additional data; data gaps and default values use; ways to calculate CO₂ equivalents; further work to operationalize the MRV; Concept note on stakeholder engagement (as output of the 1st Dec meeting).
- Intermediary report containing the final version of the chapters in the preliminary report, plus an initial outline of the technical specifications of the IT solutions to collect, store, and protect data.
- Final report containing the technical specifications of IT solution to collect, store, and monitor data; as well as an overview of the training on the MRV framework.
- IT data tool + Trainings





Description of consortium and project scope

Project overview

Vincent de Haes (To70)

to-0. **AERLABS**

Consortium





AERLABS

to70-

ExpertiseProject managementAviation data gapsOperationalization

Team

Maarten Tielrooij Marson Jesus Eneko Rodriguez Vincent de Haes



Non-CO2 models Climate metrics Aviation and Atmospheric data

Volker Grewe Roland Eichinger Liam Megill Alexander Lau Extensive support academic colleagues

AERLABS

Aviation data processing Aviation based IT tools Aviation data security

Robert Koster Luis Natera Orozco Ian Brumby


Objective of the Non-CO₂ MRV


- ✗ WP1: Assess data required for suitable MRV, and potential data gaps.
- ✗ WP2: Understand how data can be stored and protected.
- ✗ WP3: Understand implications of MRV and connect with sector on potential operationalization.





AERLABS





Scope WP1

WP 1: Calculation of CO. equivalents and data collection Lead: <u>DLR-PA</u>





AERLABS

✗ Understand use of climate metrics for aviation and provide academically supported advise most applicable metric.

- ✗ Understand the range of Non-CO₂ models and provide academically supported advise the most applicable model (s)
- ★ Provide assessment of minimum and additional data needed for each model.
- ★ Based on the models and metrics, provide academically supported advice on different approaches to apply models and metrics in an MRV.

Preliminary report Internal	Public meeting External	Intermediary report Internal	IT solution and Operationalization	Finalization of project
Nov. 2023	Dec. 1st 2023	Jan. 2024	2024 →	Dec. 2024
		Aviation Consultants	WP2, WP3	14





AERLABS

Setting up prototype of software platform to apply MRV, allowing for better understanding of:

- Data needs for the MRV
- Accuracy of output

Scope WP2

- Reporting constraints
- Any other constraints
- Basic tests with potential reporting partners
- ★ Providing advice on data storage and protection

Preliminary report Internal	Public meeting External	Intermediary report Internal	IT solution and Operationalization	Finalization of project
Nov. 2023	Dec. 1st 2023	Jan. 2024	2024 →	Dec. 2024
	WP1	Aviation Consultants	WP2, WP3	15

Preliminary report Internal	Public meeting External	Intermediary report Internal	IT solution and Operationalization	Finalization of project
Nov. 2023	Dec. 1st 2023	Jan. 2024	2024 →	Dec. 2024
	WP1		WP2, WP3	
		Aviation Consultants		16

- * Assessing the implementation impact of MRV options on resources, regulatory burden, etc.
- ***** Ensuring the sector is engaged with the MRV development
 - Public meeting ٠
 - Workshops/meetings on MRV Q3 2024 ٠

WP 3: Operationalisation and implementation of MRV Lead: To70





AERLABS

Scope WP3





Elements of the MRV framework Project

Scientific architecture & data - Roland Eichinger (DLR) Software architecture - Robert Koster (AerLabs) Engagement with airspace users - Maarten Tielrooij (To70)

(to-0-) R **AERLABS**





Elements of the MRV framework Project Scientific architecture & data - Roland Eichinger (DLR)



to 0.

AERLABS

to

Scientific architecture & data Elements of the MRV framework Project

Project consortium:

to70 DLR (German Aerospace Center) Aerlabs

Public Consultation Meeting on non-CO2 Effects MRV



an DG CLIMA

23 November 2023

Dr. Roland Eichinger DLR – Institute for Atmospheric Physics



Scientific architecture & data – Outline

1) Introduction

2) CO2 equivalent calculations (WP 1.1)

2.1 Analysis of climate metrics

2.2 Discussion of models

- 3) Minimum and additional data for models and MRV (WPs 1.2+1.3)
- 4) Data gaps and filling strategies (WP 1.4)
- 5) Uncertainties
- 6) Recommendation



WP 1: Calculation of CO, equivalents and data collection *Lead: DLR-PA*

> WP 1.1: CO₂ equivalents approaches and climate-response models <u>DLR-PA</u>, DLR-AT

> > WP 1.2: Minimum data needs <u>DLR-PA</u>, DLR-LV, DLR-AT

WP 1.3: Additional data DLR-LV, DLR-PA, DLR-AT

WP 1.4: Data gaps and default values <u>To70</u>, DLR-PA, DLR-AT, DLR-LV

PA: Atmospheric Physics

LV: Air traffic

AT: Propulsion technology

1) Introduction

To calculate CO2e, it has to be specified:

• What is emitted to the atmosphere?

fuel and combustion process in aircraft engine

- Where are these emissions executed? routing system by 4-D trajectories
- How does the atmosphere react to the emissions?

NO_x, contrails and H₂O affect climate on various temporal and spatious scales

A CO_2 equivalent emission is the climate impact of any emitted climate species relative to the climate impact of one kg CO_2 , for a given climate metric.

Source: DLR





2.1) Climate Metrics (WP1.1)

A climate metric

used in the MRV framework should:

- be transparent and simple to use and comprehend, whilst remaining scientifically well grounded
- be temporally stable
- be appropriate for existing as well as future aircraft
- be consistent for a range of aviation emission scenarios
- be compatible with existing policy
- have temporal response of RF or temperature change as input





Climate Metrics and time horizon

- Radiative Forcing (RF)
- Global Warming Potential (GWP)
- GWP*
- Global Temperature-Change Potential (GTP)
- Average Temperature Response (ATR) / Integrated GTP (iGTP)

Considerations	RF	GWP	GWP*	GTP	ATR/iGTP
Transparent & simple	Low complexity	Less complex, but	High complexity,	Low complexity	Less complex
		abstract concept	abstract concept		
Temporal stability	Generally stable	Stable	Highly unstable	Generally stable	Stable
Compatibility with	Not compatible	Generally	Generally compatible,	Generally	Generally
existing and future		compatible, does	does not include	compatible,	compatible,
aircraft		not include efficacy	efficacy	includes efficacy	includes efficacy
Dependence on	Strongly	Generally	Independent of	Dependent on	Independent of
emission scenario	dependent on	independent of	scenario, but	scenario	scenario
	scenario	scenario	sometimes surprising		
			results		
Dependence on time	Strong	Weak	Weak, but has a	Strong	Weak
horizon			second time horizon		

- General consideration of aviation climate impact \rightarrow longer time horizons more appropriate
- Metrics most stable for time horizon of ~70 years



2.2) Models (WP1.1)

• (open)AirClim - DLR

Climate response model to evaluate basic aircraft/engine configurations and general operational strategies

CoCIP-pycontrails (Contrail Cirrus Prediction Tool) - DLR

Lagrangian model to analyse contrail formation, life cycle and contrail climate effects for single flights or global air traffic

aCCFs (algorithmic Climate Change Functions) - TU Delft/DLR

4-D non-CO₂ effects for daily flight planning cost-efficiently implemented directly in NWP models

• LinClim – MMU

Climate response model to assesses global radiative forcing and temperature impacts of all aviation non-CO2 effects

• OSCAR - IIASA, ONERA, LSCE

Compact Earth System model to compute climate response of global aviation emissions

• LEEA - Camebridge/Reading Univ., Airbus

Simple response model to calculate climate impact of aircraft emissions


• FaIR - Oxford/Leeds Univ.

Reduced-complexity climate model to produce global temperature projections from emissions or forcing scenarios

Models

- AirClim estimates impact of all non-CO₂ effects per flight on climatological basis
- CoCiP computes flight- and weather-based contrail effects in detail
- aCCFs calculates climate effect of all non-CO2 effects on per flight basis with weather dependence
- LinClim predicts response of climatological aviation perturbation and monetary values of impacts
- OSCAR and FaIR are climate scenario models treating global emissions
- LEEA uses inventory of aircraft emissions to estimate climate effect

Model/(open)CoCiPaCCFsLinClimFAiROSCARLEEARequirementAirClim(pycont <th></th>	
Requirement AirClim (pycont	
rails*)	
Scope of output ++ - ++ ++ ++ ++ ++	
Weather dependency ++ ++	
Location dependency ++ ++ ++ 0	
Criterium is fulfilled Availability of required ++ ++ ++ ++ ++ ++	
data	
++: fully Transparency + ++ ++ - ++ -	-
+: mostly Computational effort ++ 0 ++ ++ ++ ++	
0: partly Administrative effort to be evaluated after specific use-case versions are generated ++	
Fuel type + ++ + ?	
-: mostly not consideration	
: not at all Engine/aircraft type 0 ++ 0 ?	
consideration	






3) Minimum and additional data (WPs 1.2+1.3)



- Meteorological data (for weather-based approach) from weather sevices
- Flight data from aircraft operators
- Data collection should already be started during flight planning
- Data need should be reduced to a minimum to reduce effort for airlines and authority
- Two different storage systems with different data requirements might have to be
 established for monitoring and for verification



Meteorological data

- Needed for weather-based approach
- Should be obtained from external sources

 → no reporting needed
- NWP model and forecast time has to be agreed

upon in advance (operator and authority)

Input Data	Monitoring	Reporting	Verification	
	М	Meteorological data		
Pressure*	\checkmark		1	
Air temperature*	~		\checkmark	
Specific humidity*	√		\checkmark	
Relative humidity over ice	√		\checkmark	
Eastward wind*	\checkmark		\checkmark	
Northward wind*	\checkmark		\checkmark	
Vertical velocity*	\checkmark		\checkmark	
Specific cloud ice water content*	\checkmark		\checkmark	
Geopotential*	~		~	
Outgoing longwave radiation (OLR)	\checkmark		\checkmark	
Reflected solar radiation (RSR)	√		\checkmark	
Solar direct radiation (SDR)	\checkmark		\checkmark	

Blue: Minimum data

Light blue: Implicit minimum data



Green: Additional possible data

Models/ Input data	Emissions Calculation Model	AirClim openAirClim	CoCiP (py- contrails)	aCCFs	FAiR	OSCAR	LEEA
				Meteorolo	ogical data		
Pressure*			√	~			
Air temperature*	~	1	√	~	√	~	~
Specific humidity*	~	1	~	~	√	~	~
Relative humidity over ice				~			
Eastward wind*			~				
Northward wind*			~				
Vertical velocity*			\checkmark				
Specific cloud ice water content*			√				
Geopotential*			~	~			
Outgoing longwave radiation (OLR)			V	~			
Reflected solar radiation (RSR)			√				
Solar direct radiation (SDR)			~	√			

Flight data to run models

- Flight trajectory data and aircraft type are required
- Other flight data can optionally be used to improve accuracy
- Some data will be required to allow creation of particular incentives (Engine efficiency, fuel composition)

Blue: Minimum data to run model

Green: Additional possible data to enhance accuracy

Models/ Input data	Emissions Calculation Model	AirClim openAirClim	CoCiP (py- contrails)	aCCFs	FAiR	OSCAR	LEEA
				Flight t	rajectory		
Timestamp			\checkmark	1			
Latitude		\checkmark	 ✓ 	✓	√	1	
Longitude		\checkmark	✓	1	✓	1	
Altitude	\checkmark	√	 ✓ 	~	√	~	~
			Aircra	aft propertie	es & perform	ance	
Aircraft type	√	\checkmark	\checkmark	 ✓ 		1	√
True airspeed	√		√				
Engine UID	√	√	~	1	~	1	1
Fuel flow	√	√	√	 ✓ 	√	√	1
Aircraft mass / Takeoff mass / Load factor**			√				
Engine efficiency	~	\checkmark	√	~	~	~	~
				Fuel prope	erties & SAF		
Fuel type***	√		√				
SAF blending ratio	√	~	√				



Flight data for MRV

- Aircraft type, flight information and engine UID are necessary for monitoring and reporting
- Flight trajectory data should be obtained from independent sources (EUROCONTROL)
- Certain data can be estimated to some degree (fuel flow), but will have to be filled conservatively if not available (→ WP1.4)

Blue: Minimum data to establish MRV
Green: Additional possible data to expand
possibilities and enhance accuracy

Input Data	Monitoring	Reporting	Verification			
	ļ	Flight information				
Flight number	\checkmark	\checkmark	\checkmark			
Day and time	\checkmark	\checkmark	\checkmark			
Arrival and Departure Airport	\checkmark	√	√			
		Flight trajectory	/			
Timestamp	\checkmark		\checkmark			
Latitude	\checkmark		\checkmark			
Longitude	\checkmark		\checkmark			
Altitude	\checkmark		\checkmark			
	A	Aircraft propertie	<i>es</i>			
Aircraft type	\checkmark	\checkmark	\checkmark			
Engine UID	\checkmark	\checkmark	\checkmark			
Aircraft mass / Take-off-mass / Load factor**	1	√	1			
	Aircraft p	performance (alc	ong flight)			
Fuel flow	√	√	√			
Aircraft Performance Model	\checkmark		\checkmark			
True airspeed	~	~	~			
Engine efficiency	\checkmark	√	\checkmark			
	Fuel properties					
Fuel type***	\checkmark	\checkmark	\checkmark			
SAF blending ratio	~	√	\checkmark			



4) Data gaps (WP 1.4)

Fill missing data with conservative values → Conservative values must not lead to lower CO2e than those obtained for similar flights under similar conditions

- Fuel Flow:
 - 1) recorded by the operator
 - 2) modelled by the operator during flight planning
 - 3) modelled using 3rd party models

Various possibilities (Boenig (2) FFM, DLR FFM, P3T3)

Other data such as aircraft mass, or true airspeed might be needed






- Engine Type:
 - 1) Engine UID provided by operator
 - Most conservative default engine from list for specific aircraft (ICAO Engine Databank)
- Fuel properties:
 - 1) Fuel service provider or airport service (ReFuelEU)
 - 2) Assume Jet-A1

5) Uncertainties


- Humidity (low quality of forecasts in UTLS)
- Models (internal variability, assumptions for optimisation)
- Contrails (locality, life time, deformation, warming/cooling)
- Fuel composition and new technologies
- Emissions (distribution, combustion process)



Uncertainties are inherent and will remain, but shall not prevent MRV implementation

They need to be addressed by appropriate validation and verification as well as by risk assessments to foster understanding of their risks and impacts

MRV needs to be open for new findings and uncertainties gradually reduced



6) Recommendation:

Two options to calculate flight mission-based CO2e for aircraft operators

Minimum effort solution:

Climatological approach with minimum data needs (likely attractive for smaller airlines)


- **CONS**: Mitigation possibilities reduced to general options in operations (e.g. flying lower, ISO) and measures in aircraft design, propulsion technologies, use of SAF
- PROS: Modelling and data effort for MRV low

Full potential solution:

Weather-based approach (likely attractive for airlines with more capacities)

- CONS: Data and model processing efforts higher

- **PROS**: More possibilities for incentives through detailed flight routing options (allowing to avoid negative climate impacts of cirrus and NO_x effects)



Niklaß et al. 2020

6) Recommendation:

Two options to calculate flight mission-based CO2e for aircraft operators

Minimum effort solution:

Climatological approach with minimum data needs (likely attractive for smaller airlines)


- CONS: Mitigation possibilities reduced to general options in operations (e.g. flying lower, ISO) and measures in aircraft design, propulsion technologies, use of SAF Thank
- PROS: Modelling and data effort for MRV low

Full potential solution:

you for your Weather-based approach (likely attractive for airlines with more capacities)

- CONS: Data and model processing efforts higher

attention - **PROS**: More possibilities for incentives through detailed flight routing options (allowing to avoid negative climate impacts of cirrus and NO_x effects)



Niklaß et al. 2020





Elements of the MRV framework Project

Software architecture - Robert Koster (AerLabs)

to 0. **AERLABS**

Software Architecture

Non-CO2 MRV IT Platform – DG Clima

Date 01-12-2023

By Robert Koster (CEO)

Prepared for:

Public consultation meeting






About AerLabs

- Netherlands based aviation technology company
- Mission to reduce the environmental footprint of aviation across the world moving towards a net zero future
- Provide **Echo software platform** and services to enable the aviation industry to use data to reduce their noise and emissions impact
- Founding member of TU Delft's Aerospace Innovation Hub

Approach to environmental management

Compatible with:

- ICAO balanced approach
- Airport Carbon Accreditation (ACA)
- Eco-Management and Audit Scheme (EMAS)
- ISO 14001
- SBTi
- etc.



Our Four Pillars

Foundational to achieve Net Zero

Services to manage & reduce noise and emissions

Agnostic to local sensors

((•))

API based platform to integrate with your existing sensors & data sources

Stakeholder Engagement

An end to end service from planning to near real time monitoring & prediction

C


Automating Compliance Reporting

Simplifying EMAS, ISO 14001, EU directive 2015/996 & others

Areas of attention for MRV IT platform

- Ensure **data quality** and validation
- Minimise administrative burden
- Address data privacy and security
- Enable data **governance**
- Prepare for **operationalisation**

Echo Platform



The Echo Platform is a cloud-based environmental management solution with the flexibility to support complex data analysis using custom models and bespoke data integration


MRV IT Platform Benefits



Automation of monitoring & reporting



Protects commercially sensitive data



Minimises the administrative burden

Thanks!

Don't hesitate to reach out

Robert Koster

Founder & CEO robert@aerlabs.com +31 6 10389766

Awards and recognitions





Environment Category Winner The Next Generation of Sustainable Aviation



Interactive Flight Path & Aircraft Noise Impact Tool







Elements of the MRV framework Project

Engagement with airspace users - Maarten Tielrooij (To70)



Work Package 3



✗ Making sure that the MRV works

- **★** 3.1: Further work
 - Assess foreseeable costs of operating the MRV
 - Determine further work for implementing the IT solution

- ✗ 3.2: Stakeholder consultation
 - Evaluate the MRV system with stakeholders

Costs of the MRV

✗ Costs

- Implementation
- Operation

- ✗ Rough assessment
 - Discussions with stakeholders
 - Learning from similar concepts (UBA MRV)



Engagement

✗ Evaluate

- operation of the MRV System
- <u>not</u> results of the MRV calculation

✗ Subjects

- Interfaces
- Process
- Data availability



Engagement

- ✗ Input from stakeholders (this session)
 - Data availability
 - Applicability across airlines

- ★ Demonstrate IT solution in a workshop (summer 2024)
 - Interfaces
 - Process

✗ Collate feedback into future work



Aviation Consultants



Opportunity for questions



Join at **slido.com #3898 916**



AERLABS



Lunch break









Afternoon session

1. Presentation MET data availability

• Björn Beckmann, DWD

2. Expert panellists

- Volker Grewe, DLR
- Maarten Tielrooij, To70
- Robert Koster, AerLabs
- Gerben Broekema, To70









to-0-

AERLABS

R



Availability MET data / Climate relevant MET data MET data - Björn Beckmann (DWD)



Consulting meeting on non-CO₂ effects MRV

Availability MET data / Climate relevant MET data

Dr. Björn Beckmann German National Meteorological Service (DWD) Department for Customer Services and Development Aviation Customer Service

1st December 2023







MET forecast data for flight planning and air space monitoring

- Provision of MET forecast parameters from Numerical Weather Prediction (NWP) models, like wind, air temperature, air pressure
 - World Aviation Weather Forecast (WAWFOR) dataset by DWD:
 - Update: 4 times daily: 00, 06, 12, 18 UTC
 - Forecast time +48 h,
 - Forecast steps +1h,
 - Output for 00, 06, 12, 18 UTC are analysis
 - Output between FL50 and FL675
 - WAWFOR global: 13 km grid resolution,
 - WAWFOR EU section: 6,5 km grid resolution

Flight trajectory planning Source: LH Systems







Additional MET data set for climate optimised flying

At DWD a data set with climate relevant parameters is under development in addition to WAWFOR, it contains (in collaboration with project LuFo D-KULT / DLR):

- Potential Persistent Contrail (PPC) binary and as probability: Schmidt-Appleman criterion and saturation of humidity
- Output postprocessing climate change impact due to contrails
- Output climate change impact due to further non-CO₂ effects
 - NO_x , H_2O
 - CO₂ as reference value






Uncertainty in prediction of humidity and Potential Persistent Contrail

Blue: 40 Ensembles 93 % RHi Lines at 260 hPa from 2023/10/15 12 UTC + 48 h Red: Deterministic 93 % RHi Lines at 260 hPa Analyse from 2023/10/17 12 UTC

PPC prob at FL330 2023101812 + 12 h UTC



Relative humidity at 260 hPa > 93%: model analysis in red and 40 ensemble-member forecast +48 h in blue

Source: DWD/R. Engelhardt PPC probability based on 40 Ensembles +12h forecast at FL 330, shows areas of greater predictive uncertainty in some cases, highlighted in red, yellow and green.


Humidity forecast uncertainty could be shown.





Operational airborne humidity observations to improve forecast

- WMO AMDAR Aircraft Meteorological Data Relay
- Data collection of humidity observations only during descent and ascent due to transmission costs from the aircraft to the ground
- Project LuFo MEFKON: Extension of AMDAR data collection on cruise level of 9 Lufthansa aircrafts over Europe
- Assimilation of data into NWP: Benefit on humidity forecast





AMDAR water vapor observations 30 Sep – 06 Oct 2019

- UK Met Office: Implementation of FLYHT WVSS-II water vapor sensors on 13 aircrafts – Embraer 145 – of Loganair Airline
- Observations and data transfer also planned at cruise level

Source: Met. Technology Int. 09/2023



Summary climate relevant MET data (1)

- Predictions of climate-relevant MET parameters are required for climate optimized flight trajectory planning and air space monitoring.
- Parameters could be provided by Numerical Weather Prediction and Postprocessing approaches.
- Persistent contrails have the greatest contribution to non-CO₂ effects. Persistent contrails can form in ice supersaturation regions (ISSR). An important meteorological input parameter for ISSR / PPC is relative humidity.
- However, the description of relative humidity through the analysis and predictions of NWP models is subject to relatively large uncertainties.
- To achieve maximum aviation user acceptance for air spaces which are already heavily congested, the PPC areas need to be localized as far as possible in terms of time and space.
- To improve humidity forecasts, the integration of airborne humidity observations into the data assimilation is particularly important. Therefore, it is necessary to extend operational data collection to cruising altitude and equip more aircraft with sensors. Currently over Europe, AMDAR data is only collected by a small number of 9 Lufthansa aircrafts during ascent and descent due to transmission costs from the aircraft to the ground.



Summary climate relevant MET data (2)

- The future satellite generation Meteosat Third Generation is also expected to provide added value with regard to NWP data assimilation for humidity, e.g. through LIDAR-supported measurements. Nevertheless, the importance of airborne observations is still recognized.
- The improved NWP based relative humidity analysis and forecasts could also be used for verification purposed for MRV system.
- For example, the European AMDAR program EUMETNET Aircraft based Observation Programme E-ABO – could be expanded for collection of additional humidity observations.
- As the climate protection would be the main beneficiary and other application areas are likely to benefit of such an expansion of humidity data collection at cruising level, an alternative solution to the MET Service Providers should be discussed in terms of funding.
- An exchange between European Commission and EUMETNET is therefore recommended with regard to expansion and financing.





Expert panel Data availability

Volker Grewe, DLR - MRV data expert Maarten Tielrooij, To70 - MRV data gaps expert Robert Koster, AerLabs - MRV data processing expert Gerben Broekema, Broekema Aviation - Operational expert AERLABS



Questions Data availability



Join at **slido.com #3898 916**





AERLABS



Coffee break











Expert panel Data Flow

Volker Grewe, DLR - MRV data expert Maarten Tielrooij, To70 - MRV data gaps expert Robert Koster, AerLabs - MRV data processing expert Gerben Broekema, Broekema Aviation - Operational expert A E R LABS

(to-0-



Questions Data flow



Join at **slido.com #3898 916**



AERLABS





Closing remarks

Polona Gregorin, Head of Unit DG Climate Action

